

NFPA 101 Life Safety Code for Healthcare: Means of Egress, Fire Compartments, and Smoke Barriers

THE DIRECT ANSWER

In existing health care occupancies, NFPA 101 drives how you subdivide patient floors with smoke barriers, how corridors and doors function as exit access, and when horizontal movement to an adjacent smoke compartment replaces full-building evacuation. CMS, The Joint Commission (Accreditation 360 Physical Environment chapter effective January 1, 2026), and your state fire marshal each test the same Life Safety Code baseline—plus linked standards for sprinklers, alarms, fire doors, and the Health Care Facilities Code.

WHICH CODE CHAPTER GOVERNS YOUR BUILDING

- NFPA 99 (Health Care Facilities Code)—electrical, gas, HVAC risk controls that support safe egress and compartmentation
- NFPA 13 and NFPA 25 —sprinkler design and ongoing impairment testing that underpins many healthcare corridor and smoke-barrier relaxations
- NFPA 72 —detection, notification, and supervisory signals tied to defend-in-place decisions
- NFPA 80 —fire door assemblies, including annual inspection and testing documented by qualified persons

MEANS OF EGRESS IN HEALTH CARE OCCUPANCIES

- Egress in hospitals is a system: exit access (corridors, doors, aisles), exits (stairs, exterior doors, ramps), and exit discharge. Healthcare chapters add wrinkles because beds, IV poles, and staff workflows turn “simple” corridor width into an operational test.

FIELD QUESTION

Which NFPA 101 chapter applies to our existing hospital?

Most inpatient buildings surveyed today are evaluated under Existing Health Care Occupancies (Chapter 19 in commonly adopted editions). New construction wings may fall under Chapter 18. Your certificate of occupancy, CMS statement of conditions, and state fire code adoption list the enforceable edition and chapter.

From Healthcare Facility Hub - free, like everything on the site. The full article is at the link below.

Caution: codes, editions, and targets vary by facility and authority having jurisdiction (AHJ). Figures marked as common practice are facility targets, not code requirements. Confirm against your AHJ and the current code text before acting.

healthcarefacilityhub.org/nfpa-101-life-safety-code-healthcare-egress-fire-compartments-smoke-barriers/

Free field sheet from Healthcare Facility Hub. The live page is the current version - this sheet was generated October 2026. Scan the code to open the full article.

